

Tabela wymiarów dla studzienek z PP






Nr studni	Schemat studni	Średnica studni Ø [cm]	Średnica rury [cm]				Kąt włączenia rury [°]			Różnica wys. na dopływie [cm]			Wys. Studni H[cm]	Rzędne włączeń rur				Rzędna terenu NT
			D0	D1	D2	D3	α 1	α 2	α 3	C1	C2	C3		N0	N1	N2	N3	
				D4	D5	D6	α 4	α 5	α 6	C4	C5	C6			N4	N5	N6	
1	2	3	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
D1		42,5	16	11	-	11	73	-	158	0	-	0	121	25,32	25,32	-	25,32	25,83
				-	-	16	-	-	241	-	-	0			-	-	25,32	
D2		42,5	16	11	-	11	83	-	170	0	-	0	117	25,37	25,37	-	25,37	25,84
				-	-	-	-	-	-	-	-	-			-	-	-	
D3		42,5	11	-	-	-	-	-	-	-	-	-	131	25,38	-	-	-	25,99
				-	-	11	-	-	262	-	-	0			-	-	25,38	
D4		42,5	16	-	-	16	-	-	180	-	-	15	136	25,12	-	-	25,27	25,78
				-	-	11	-	-	275	-	-	15			-	-	25,27	
D5		42,5	16	-	-	16	-	-	174	-	-	0	117	25,30	-	-	25,30	25,77
				-	-	11	-	-	276	-	-	0			-	-	25,30	
D6		42,5	16	11	-	16	102	-	180	5	-	5	115	25,33	25,38	-	25,38	25,78
				-	-	11	-	-	282	-	-	5			-	-	25,38	
D7		42,5	16	-	-	-	-	-	-	-	-	-	152	25,02	-	-	-	25,84
				-	-	16	-	-	270	-	-	0			-	-	25,02	

Tabela wymiarów dla studzienek PP

ZAŁĄCZNIK NR 5






Nr studni	Schemat studni	Średnica studni Ø [cm]	Średnica rury [cm]				Kąt włączenia rury [°]			Różnica wys. na dopływie [cm]			Wys. Studni H[cm]	Rzędne włączeń rur				Rzędna terenu NT
			D0	D1	D2	D3	α 1	α 2	α 3	C1	C2	C3		N0	N1	N2	N3	
				D4	D5	D6	α 4	α 5	α 6	C4	C5	C6			N4	N5	N6	
1	2	3	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
D8		42,5	16	-	-	-	-	-	-	-	-	-	127	25,73	-	-	-	26,30
				-	-	16	-	-	271	-	-	0			-	-	25,73	
D9		42,5	16	11	-	16	90	-	180	0	-	0	117	25,83	25,83	-	25,83	26,30
				-	-	-	-	-	-	-	-	-			-	-	-	
D10		42,5	16	11	-	11	90	-	180	0	-	5	111	25,89	25,89	-	25,94	26,30
				-	-	-	-	-	-	-	-	-			-	-	-	
D11		42,5	16	-	-	-	-	-	-	-	-	-	146	25,54	-	-	-	26,30
				16	-	-	195	-	-	0	-	-			25,54	-	-	
D12		42,5	16	-	-	-	-	-	-	-	-	-	205	24,55	-	-	-	25,90
				-	16	-	-	220	-	-	0	-			-	24,55	-	
D13		42,5	16	-	-	16	-	-	180	-	-	0	181	24,82	-	-	24,82	25,93
				-	-	-	-	-	-	-	-	-			-	-	-	
D14		42,5	16	16	-	16	90	-	180	25	-	0	176	24,85	25,10	-	24,85	25,91
				-	-	-	-	-	-	-	-	-			-	-	-	

Tabela wymiarów dla studzienek PP

Nr studni	Schemat studni	Średnica studni Ø [cm]	Średnica rury [cm]				Kąt włączenia rury [°]			Różnica wys. na dopływie [cm]			Wys. Studni H[cm]	Rzędne włączeń rur				Rzędna terenu NT
			D0	D1	D2	D3	α 1	α 2	α 3	C1	C2	C3		N0	N1	N2	N3	
				D4	D5	D6	α 4	α 5	α 6	C4	C5	C6			N4	N5	N6	
1	2	3	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
D15		42,5	16	-	-	16	-	-	180	-	-	0	155	25,37	-	-	25,37	26,22
				-	-	-	-	-	-	-	-	-			-	-	-	
D16		42,5	16	-	-	-	-	-	-	-	-	-	228	25,92	-	-	-	27,50
				-	16	-	-	216	-	-	0	-			-	25,92	-	
D17		42,5	16	11	-	11	91	-	172	13	-	13	127	25,92	26,05	-	26,05	26,49
				-	16	-	-	213	-	-	0	-			-	25,92	-	
D18		42,5	16	-	-	-	-	-	-	-	-	-	115	26,00	-	-	-	26,45
				-	16	-	-	233	-	-	0	-			-	26,00	-	
D19		42,5	16	11	16	-	41	131	-	12	0	-	130	26,10	26,22	26,10	-	26,70
				-	11	-	-	221	-	-	0	-			-	26,10	-	
D20		42,5	16	11	-	11	88	-	177	0	-	0	126	26,11	26,11	-	26,11	26,67
				-	-	11	-	-	275	-	-	0			-	-	26,11	
D21		42,5	11	11	-	-	84	-	-	0	-	-	121	26,19	26,19	-	-	26,70
				-	-	11	-	-	264	-	-	0			-	-	26,19	

Tabela wymiarów dla studzienek PP





Nr studni	Schemat studni	Średnica studni Ø [cm]	Średnica rury [cm]				Kąt włączenia rury [°]			Różnica wys. na dopływie [cm]			Wys. Studni H[cm]	Rzędne włączeń rur				Rzędna terenu NT
			D0	D1	D2	D3	$\alpha 1$	$\alpha 2$	$\alpha 3$	C1	C2	C3		N0	N1	N2	N3	
				D4	D5	D6	$\alpha 4$	$\alpha 5$	$\alpha 6$	C4	C5	C6			N4	N5	N6	
1	2	3	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
D22		42,5	16	16	-	-	103	-	-	0	-	-	131	25,79	25,79	-	-	26,40
				-	-	-	-	-	-	-	-	-			-	-	-	
D23		42,5	16	-	-	-	-	-	-	-	-	-	132	25,82	-	-	-	26,44
				16	-	11	184	-	250	0	-	0			25,82	-	25,82	
D24		42,5	16	11	-	16	115	-	157	0	-	0	123	25,87	25,87	-	25,87	26,40
				-	-	11	-	-	260	-	-	0			-	-	25,87	
D25		42,5	16	-	11	-	-	121	-	-	0	-	109	26,00	-	26,00	-	26,39
				-	-	11	-	-	280	-	-	0			-	-	26,00	
D26		42,5	11	11	-	-	96	-	-	0	-	-	110	26,01	26,01	-	-	26,41
				-	-	11	-	-	276	-	-	0			-	-	26,01	
D27		42,5	11	11	-	-	112	-	-	0	-	-	119	25,96	25,96	-	-	26,45
				-	-	-	-	-	-	-	-	-			-	-	-	
D28		42,5	16	11	16	-	63	147	-	46	0	-	160	24,86	25,32	24,86	-	25,76
				-	11	-	-	236	-	-	46	-			-	25,32	-	

Tabela wymiarów dla studzienek PP






Nr studni	Schemat studni	Średnica studni Ø [cm]	Średnica rury [cm]				Kąt włączenia rury [°]			Różnica wys. na dopływie [cm]			Wys. Studni H[cm]	Rzędne włączeń rur				Rzędna terenu NT
			D0	D1	D2	D3	α 1	α 2	α 3	C1	C2	C3		N0	N1	N2	N3	
				D4	D5	D6	α 4	α 5	α 6	C4	C5	C6			N4	N5	N6	
1	2	3	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
D29		42,5	16	16	-	-	93	-	-	0	-	-	174	24,89	24,89	-	-	25,93
				-	-	-	-	-	-	-	-	-			-	-	-	
D30		42,5	16	16	-	-	116	-	-	25	-	-	150	24,98	25,23	-	-	25,78
				-	-	16	-	-	261	-	-	0			-	-	24,98	
D31		42,5	16	-	-	-	-	-	-	-	-	-	127	25,32	-	-	-	25,89
				-	16	-	-	237	-	-	0	-			-	25,32	-	
D32		42,5	16	11	-	16	89	-	160	0	-	0	114	25,47	25,47	-	25,47	25,91
				-	-	-	-	-	-	-	-	-			-	-	-	
D33		42,5	16	11	-	11	83	-	175	0	-	0	121	25,55	25,55	-	25,55	26,06
				-	-	-	-	-	-	-	-	-			-	-	-	
D34		42,5	11	-	-	-	-	-	-	-	-	-	126	25,51	-	-	-	26,07
				-	-	11	-	-	262	-	-	0			-	-	25,51	
D35		42,5	16	-	-	16	-	-	155	-	-	0	131	25,39	-	-	25,39	26,00
				-	-	-	-	-	-	-	-	-			-	-	-	

Tabela wymiarów dla studzienek PP







Nr studni	Schemat studni	Średnica studni Ø [cm]	Średnica rury [cm]				Kąt włączenia rury [°]			Różnica wys. na dopływie [cm]			Wys. Studni H[cm]	Rzędne włączeń rur				Rzędna terenu NT
			D0	D1	D2	D3	α 1	α 2	α 3	C1	C2	C3		N0	N1	N2	N3	
				D4	D5	D6	α 4	α 5	α 6	C4	C5	C6			N4	N5	N6	
1	2	3	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
D36		42,5	16	-	-	-	-	-	-	-	-	-	182	25,06	-	-	-	26,18
				-	16	-	-	224	-	-	0	-			-	25,06	-	
D37		42,5	16	-	-	16	-	-	179	-	-	0	186	24,88	-	-	24,88	26,04
				-	-	16	-	-	283	-	-	12			-	-	25,00	
D38		42,5	16	-	-	16	-	-	180	-	-	0	181	24,93	-	-	24,93	26,04
				-	-	11	-	-	270	-	-	0			-	-	24,93	
D39		42,5	16	-	-	11	-	-	180	-	-	0	187	24,98	-	-	24,98	26,15
				-	-	16	-	-	270	-	-	0			-	-	24,98	
D40		42,5	11	-	-	-	-	-	-	-	-	-	167	25,13	-	-	-	26,10
				-	-	11	-	-	270	-	-	0			-	-	25,13	
D41		42,5	16	11	-	16	90	-	180	0	-	0	165	25,00	25,00	-	25,00	25,95
				-	-	-	-	-	-	-	-	-			-	-	-	
D42		42,5	16	11	-	16	90	-	180	0	-	0	160	25,05	25,05	-	25,05	25,95
				-	-	-	-	-	-	-	-	-			-	-	-	

Tabela wymiarów dla studzienek PP




Nr studni	Schemat studni	Średnica studni $\varnothing$ [cm]	Średnica rury [cm]				Kąt włączenia rury [°]			Różnica wys. na dopływie [cm]			Wys. Studni H[cm]	Rzędne włączeń rur				Rzędna terenu NT
			D0	D1	D2	D3	$\alpha 1$	$\alpha 2$	$\alpha 3$	C1	C2	C3		N0	N1	N2	N3	
				D4	D5	D6	$\alpha 4$	$\alpha 5$	$\alpha 6$	C4	C5	C6			N4	N5	N6	
1	2	3	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
D43		42,5	16	11	-	-	90	-	-	0	-	-	150	25,15	25,15	-	-	25,95
				-	-	-	-	-	-	-	-	-			-	-	-	
D44		42,5	16	11	-	16	76	-	166	0	-	0	163	25,02	25,02	-	25,02	25,95
				-	-	-	-	-	-	-	-	-			-	-	-	
D45		42,5	16	11	-	16	90	-	180	0	-	0	158	25,07	25,07	-	25,07	25,95
				-	-	-	-	-	-	-	-	-			-	-	-	
D46		42,5	16	16	-	11	90	-	180	0	-	0	156	25,09	25,09	-	25,09	25,95
				-	-	-	-	-	-	-	-	-			-	-	-	
D47		42,5	16	-	-	16	-	-	180	-	-	0	154	25,11	-	-	25,11	25,95
				-	-	11	-	-	270	-	-	0			-	-	25,11	
D48		42,5	16	-	-	-	-	-	-	-	-	-	150	25,15	-	-	-	25,95
				-	-	11	-	-	270	-	-	0			-	-	25,15	
D49		42,5	16	11	-	-	118	-	-	0	-	-	167	25,04	25,04	-	-	26,01
				-	-	-	-	-	-	-	-	-			-	-	-	

Tabela wymiarów dla studzienek PP

Nr studni	Schemat studni	Średnica studni Ø [cm]	Średnica rury [cm]				Kąt włączenia rury [°]			Różnica wys. na dopływie [cm]			Wys. Studni H[cm]	Rzędne włączeń rur				Rzędna terenu NT
			D0	D1	D2	D3	α 1	α 2	α 3	C1	C2	C3		N0	N1	N2	N3	
				D4	D5	D6	α 4	α 5	α 6	C4	C5	C6			N4	N5	N6	
1	2	3	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
D50		42,5	11	-	-	11	-	-	180	-	-	0	138	25,34	-	-	25,34	26,02
				-	-	-	-	-	-	-	-	-			-	-	-	
D51		42,5	11	-	-	11	-	-	180	-	-	0	112	25,64	-	-	25,64	26,06
				-	-	-	-	-	-	-	-	-			-	-	-	
D52		42,5	16	-	-	11	-	-	156	-	-	0	110	25,60	-	-	25,60	26,00
				11	-	11	200	-	272	0	-	0			25,60	-	25,60	
Wp1		42,5	16	-	-	-	-	-	-	-	-	-	150	25,11	-	-	-	25,91
				-	-	-	-	-	-	-	-	-			-	-	-	
Wp2		42,5	16	-	-	-	-	-	-	-	-	-	151	25,09	-	-	-	25,90
				16	-	-	188	-	-	-	-	-			-	-	-	
Wp3		42,5	16	-	-	-	-	-	-	-	-	-	150	25,34	-	-	-	26,14
				-	-	-	-	-	-	-	-	-			-	-	-	
Wp4		42,5	16	-	-	16	-	-	160	-	-	-10	150	25,07	-	-	24,97	25,87
				-	-	-	-	-	-	-	-	-			-	-	-	

Tabela wymiarów dla studzienek PP




Nr studni	Schemat studni	Średnica studni Ø [cm]	Średnica rury [cm]				Kąt włączenia rury [°]			Różnica wys. na dopływie [cm]			Wys. Studni H[cm]	Rzędne włączeń rur				Rzędna terenu NT
			D0	D1	D2	D3	α 1	α 2	α 3	C1	C2	C3		N0	N1	N2	N3	
				D4	D5	D6	α 4	α 5	α 6	C4	C5	C6			N4	N5	N6	
1	2	3	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Wp5		42,5	16	16	-	-	108	-	-	0	-	-	171	24,87	24,87	-	-	25,88
				-	-	-	-	-	-	-	-	-			-	-	-	
Wp6		42,5	16	16	-	-	91	-	-	0	-	-	166	25,20	25,20	-	-	26,16
				-	-	-	-	-	-	-	-	-			-	-	-	
Wp7		42,5	16	-	-	16	-	-	176	-	-	0	150	25,22	-	-	25,22	26,02
				-	-	-	-	-	-	-	-	-			-	-	-	
Wp8		42,5	16	-	-	-	-	-	-	-	-	-	150	25,31	-	-	-	26,11
				-	-	-	-	-	-	-	-	-			-	-	-	
Wp9		42,5	16	-	16	-	-	143	-	-	0	-	206	24,69	-	24,69	-	26,05
				-	-	-	-	-	-	-	-	-			-	-	-	
Wp10		42,5	16	-	-	16	-	-	180	-	-	0	185	24,78	-	-	24,78	25,93
				-	-	-	-	-	-	-	-	-			-	-	-	
Wp11		42,5	16	-	-	16	-	-	180	-	-	0	184	24,79	-	-	24,79	25,93
				-	-	-	-	-	-	-	-	-			-	-	-	

Tabela wymiarów dla studzienek PP





Nr studni	Schemat studni	Średnica studni Ø [cm]	Średnica rury [cm]				Kąt włączenia rury [°]			Różnica wys. na dopływie [cm]			Wys. Studni H[cm]	Rzędne włączeń rur				Rzędna terenu NT
			D0	D1	D2	D3	α 1	α 2	α 3	C1	C2	C3		N0	N1	N2	N3	
				D4	D5	D6	α 4	α 5	α 6	C4	C5	C6			N4	N5	N6	
1	2	3	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Wp12		42,5	16	-	-	-	-	-	-	-	-	-	150	25,19	-	-	-	25,99
				-	-	-	-	-	-	-	-	-			-	-	-	
Wp13		42,5	16	-	-	16	-	-	180	-	-	0	168	24,91	-	-	24,91	25,89
				-	-	-	-	-	-	-	-	-			-	-	-	
Wp14		42,5	16	-	-	16	-	-	180	-	-	0	160	24,92	-	-	24,92	25,82
				-	-	-	-	-	-	-	-	-			-	-	-	
Wp15		42,5	16	-	-	16	-	-	180	-	-	0	150	24,98	-	-	24,98	25,78
				-	-	-	-	-	-	-	-	-			-	-	-	
Wp16		42,5	16	-	-	-	-	-	-	-	-	-	149	25,03	-	-	-	25,82
				-	-	16	-	-	277	-	-	0			-	-	25,03	
Wp17		42,5	16	-	-	-	-	-	-	-	-	-	155	25,37	-	-	-	26,22
				-	-	-	-	-	-	-	-	-			-	-	-	
Wp18		42,5	16	-	-	-	-	-	-	-	-	-	164	25,06	-	-	-	26,00
				-	16	-	-	218	-	-	0	-			-	25,06	-	

Tabela wymiarów dla studzienek PP



Nr studni	Schemat studni	Średnica studni Ø [cm]	Średnica rury [cm]				Kąt włączenia rury [°]			Różnica wys. na dopływie [cm]			Wys. Studni H[cm]	Rzędne włączeń rur				Rzędna terenu NT
			D0	D1	D2	D3	$\alpha 1$	$\alpha 2$	$\alpha 3$	C1	C2	C3		N0	N1	N2	N3	
				D4	D5	D6	$\alpha 4$	$\alpha 5$	$\alpha 6$	C4	C5	C6			N4	N5	N6	
1	2	3	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Wp19		42,5	16	11	-	-	90	-	-	24	-	-	139	25,24	25,48	-	-	25,93
				-	-	-	-	-	-	-	-	-			-	-	-	
Wp20		42,5	16	-	-	16	-	-	180	-	-	0	155	26,00	-	-	26,00	26,85
				-	-	-	-	-	-	-	-	-			-	-	-	
Wp21		42,5	16	-	-	-	-	-	-	-	-	-	150	26,08	-	-	-	26,88
				-	-	-	-	-	-	-	-	-			-	-	-	
Wp22		42,5	16	-	-	16	-	-	169	-	-	22	174	25,12	-	-	25,34	26,16
				-	-	16	-	-	251	-	-	22			-	-	25,34	
Wp23		42,5	16	-	-	-	-	-	-	-	-	-	150	25,55	-	-	-	26,35
				-	-	-	-	-	-	-	-	-			-	-	-	
Wp24		42,5	16	-	-	-	-	-	-	-	-	-	150	25,46	-	-	-	26,26
				-	-	-	-	-	-	-	-	-			-	-	-	
Wp25		42,5	16	-	16	-	-	136	-	-	0	-	150	25,00	-	25,00	-	25,80
				-	-	-	-	-	-	-	-	-			-	-	-	

Tabela wymiarów dla studzienek PP



Nr studni	Schemat studni	Średnica studni Ø [cm]	Średnica rury [cm]				Kąt włączenia rury [°]			Różnica wys. na dopływie [cm]			Wys. Studni H[cm]	Rzędne włączeń rur				Rzędna terenu NT
			D0	D1	D2	D3	$\alpha 1$	$\alpha 2$	$\alpha 3$	C1	C2	C3		N0	N1	N2	N3	
				D4	D5	D6	$\alpha 4$	$\alpha 5$	$\alpha 6$	C4	C5	C6			N4	N5	N6	
1	2	3	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Wp26		42,5	16	-	16	-	-	134	-	-	0	-	152	25,01	-	25,01	-	25,83
				-	-	-	-	-	-	-	-	-			-	-	-	
Wp27		42,5	16	-	-	-	-	-	-	-	-	-	150	25,03	-	-	-	25,83
				-	-	-	-	-	-	-	-	-			-	-	-	
Wp28		42,5	16	-	-	-	-	-	-	-	-	-	150	25,59	-	-	-	26,39
				-	-	-	-	-	-	-	-	-			-	-	-	
Wp29		42,5	16	-	-	-	-	-	-	-	-	-	244	25,43	-	-	-	27,17
				-	-	16	-	-	270	-	-	0			-	-	25,43	
Wp30		42,5	16	16	-	-	90	-	-	0	-	-	238	25,54	25,54	-	-	27,22
				-	-	-	-	-	-	-	-	-			-	-	-	
Wp31		42,5	16	-	-	-	-	-	-	-	-	-	150	25,70	-	-	-	26,50
				-	-	-	-	-	-	-	-	-			-	-	-	
Wp32		42,5	16	-	-	-	-	-	-	-	-	-	154	25,06	-	-	-	25,90
				-	-	16	-	-	269	-	-	0			-	-	25,06	

Tabela wymiarów dla studzienek PP


Nr studni	Schemat studni	Średnica studni Ø [cm]	Średnica rury [cm]				Kąt włączenia rury [°]			Różnica wys. na dopływie [cm]			Wys. Studni H[cm]	Rzędne włączeń rur				Rzędna terenu NT
			D0	D1	D2	D3	α 1	α 2	α 3	C1	C2	C3		N0	N1	N2	N3	
				D4	D5	D6	α 4	α 5	α 6	C4	C5	C6			N4	N5	N6	
1	2	3	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Wp33		42,5	16	-	-	-	-	-	-	-	-	-	150	25,08	-	-	-	25,88
				-	-	-	-	-	-	-	-	-			-	-	-	
Wp34		42,5	16	-	-	-	-	-	-	-	-	-	150	25,10	-	-	-	25,90
				-	-	-	-	-	-	-	-	-			-	-	-	
Wp35		42,5	16	11	-	-	102	-	-	0	-	-	132	25,81	25,81	-	-	26,43
				-	-	-	-	-	-	-	-	-			-	-	-	
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	
				-	-	-	-	-	-	-	-	-			-	-	-	
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	
				-	-	-	-	-	-	-	-	-			-	-	-	
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	
				-	-	-	-	-	-	-	-	-			-	-	-	
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	
				-	-	-	-	-	-	-	-	-			-	-	-	

Tabela wymiarów dla studzienek PP